

170924  
MS 958

AXP 170,924.

MM 895.8

Horace C. Gillette?

*[Signature]*

Horace Gillette P.

TOMATO WINE.—Dr. H. C. Gillette, of East Windsor, Connecticut, has succeeded in making wine of a fine flavor and of good appearance from the Tomato, and this without the use of any alcoholic preparation. If the Tomato be as highly medicinal as it has been represented, it may be anticipated that this wine will find favor with the public.

Signific. Syst. - 34 III

Dr. J. M. A. C.

Re digitum Gualt. ad di. p. 40

4 Gum. Ammonia 2i

*Pala Longmanera* - 12 gr

Opium — 6 gr

12 pills 3 or 4 times  
a day

3. Elip. Alternat. 3.

Bin Aut — 51

Muc Gum Arab. —

Ext Glycine a a  $\frac{3}{4}$

City of York

Dose a table spoonful  
3 or 4 times a day.



# Emetic

For children

1 R Tart Anty 1gr equal 3i

Sugar of to sweeten ~~the~~

Des 2.1. wing 1/2 U till it operates

Tobacco Poultice In cases where  
Emetic cannot be taken by  
mouth

2 R Tobacco leaves a handful  
beat them with a sufficient quantity  
of water to make a poultice  
apply to the region of the stomach

Emetic in Cerebra Let the patient  
3 R Wine of Sassa 3j. Tbh. 1. pref<sup>d</sup>  
Oryzal Squills 3iij ~~the~~ ~~Harper~~

Common Emetic Powder  
4 R Sassa 52xx Barocniz 5i ~~the~~ powder

5 R Root of Phytolacca Decand 9<sup>th</sup> 20  
Mentum emetic

Holland's Emetic for children  
or infants

$\frac{1}{4}$  Pulv Ipecac -  $\frac{1}{2}$

Opium Beille -  $\frac{3}{4}$

Syrup Gamb  $\frac{1}{2}$

Aqua Common  $\frac{3}{4}$

Dose Teaspoonful in Coffee at  
short intervals if child is more than  
year old 1 gr Tart Ant may be added

~~It is better  
to use~~

## Cathartics

When there is acidity in the  
primæ vær

1 R Rhubarb - 3℥

Peloid - Magnesia grx

℞ Acids 1900 ℥

When there is stasis in the bowels

2 R Rhubarb

℞ Calap

Peloid ac. griss. ℥ Des

In Dropsies

3 R Gamboge gr iii

White Sugar - ʒi rub into a  
poultice taken away 3℥

4 R Rhubarb - 2℥ 3ʒi

Syrup - 1℞ Peloid to be  
taken in quantity as bed

For Chelidon: Boiled in a griss  
5 R Senna ʒi of water in given  
manna 3℥ peloid say

within the month: 243, 1, any ʒi

Dose of Castor Oil for Children with  
Isometh is 1. way 4<sup>th</sup> or 5<sup>th</sup> & till  
3℥ is given

---

8℥ Laxative

Calomel 1℥ Ailanth 1/2℥ per night & mor.

---

Rules 3℥ for colic without  
inflam<sup>n</sup>

7℥ Ginger 1 part Cloves 1 part

Alum 2 parts - Dose with Sacp

---

Good common Physic

R Alum 3ii Rhu 3ii Sant Emu 3ss

Ginger 3i Gum Myrrh 3i Root of Pile 90  
3 or 4 in dose.

---

Common Cathartic in  
the Hospital in Boston

℞ Rochelle Salts 3ij

Jupis Senna Comp 3ij



Lucifer Matches

R Sulphuret Antimony 2 parts  
Chloride of Potash / 1 part  
Grind to a fine powder  
then mix in a paste

Div in the paste a common  
sulphur match

Dr. Knight's common Cathartic  
for pregnancy & act on  
the lower bowels without  
disturbing the stomach

R Aloes 5 gr or ʒi  
Gamboge ʒ gr ʒi 4 gr  
Sennamony ʒ gr ʒi 6 gr  
in 4 gr pills



## Rochelle Powder

R. Rochelle Salts 12 oz  
Sup Carb Soda 14 oz

pulverize them separately  
then mix them

Put 120 gr of the above in  
a white paper

Put 130 gr of Tartaric acid  
in a blue paper

It is necessary to use 14 oz  
of Tartaric Acid for the  
16 oz of Sup Carb soda &  
Rochelle salts & this  
makes 64 Rochelle or  
Sedlitz powders.  
Dissolve the acid in a

Tumbler  $\frac{3}{4}$  filled with  
cold water sweetened with a  
little syrup of loaf sugar.  
Then add the contents  
of the white paper &  
stir it well & drink  
during the effervescence.  
It will operate better  
to take it before break  
fast while the stomach  
is empty & little <sup>Ginger</sup> Murr.  
of Iron may be added  
if necessary although  
a little incompatible  
we get the tonic power.

4 Gals Rochelle 120 grs <sup>grind & mix</sup>  
Sulphur Soda 50 grs  
Carbonic Acid 35 grs <sup>Aspirin</sup>

Forces

8

1 Rx *Ten. dyspnoea*  
 1 Rx *Quercus sharpsii* 3i Let them  
 Orange Peel — 3i stand in  
 Beer & water ~~the~~ strained  
 Dos 4 — twice a day —

or  
 2 Rx *Columba root* Infuse 80  
 Gentian — Let settle  
 Fruit fly — .. take 3 —  
 Orange peel 3i 3 times a day  
 Spunk wine 4oz

or  
 3 Rx *Sulphuric acid* dilute 3i  
 Comp<sup>d</sup> tincture of Bark 3i  
 Dos 2, 1. twice a day

In Chlorosis purgatives of Liver  
 4 Rx *Sulphate of Iron* 3i  
 Myrrh & Cat of Tade 3i  
 24 For take 2 = 3 times a day

5 14 Tincture of Mucilage of Iron  
Do 5 grs 3 or 4 times O in water

Morley, Fine Salutarin Des -  
8 14 Sulfur E of Lime Ziis emetic  
Alum - - - - - 2ss. J. per achilod  
Water - - - - - 60 J. astoria Des 10 L 40  
grs

7 14 Tonic after Dispey  
Ry 8. Beck - Iron filings & Benton Root  
a 3i Strong lime 1 quart Des Ziis 3 times  
O - - - - - or the following

8 14 8 Beck Zi Iron filings 24  
Mucilage of Arch. g. electuary Des 12  
a nutmeg turn a day -

9 14 9 Myrrh. 9 Ammonia - 9 Lime a 3i  
Sapa Castil Ziis - Turbith Vent 3p  
Maf Make pills of the size of small  
pills take 1 at a time 3 times O

10 14 10 Cat Tera - - - - - - - - -  
Yem. Anis a 3i 1/2 of Rube Cresp -  
put into gate of 1/2 put take - with  
water 3 times O -



11  $\frac{1}{2}$  Bark Beer  
Cort. Pile 3i Cort. Autum.  
Red Gup Venz 3i

Boil in 3 lbs of water 10 or 15 minutes  
strain + add a gill of Moleasses + a gill  
of yucca - stands over 8 hours Do him  
up very good 3 or 4 times

Indigestion with  
12  $\frac{1}{2}$  Myrrh 3i Gulp 3i Carb Potash 3i  
Gum Camph 3i 16 Syrup of Pile 3i  
Do 4 times a day

13  $\frac{1}{2}$  Myrrh - White Vetical 3i  
in a pill 4 or 5 times a day

Indigestion with  
14  $\frac{1}{2}$  Vetical 3i 3i Red Gup Venz 3i  
Alum 3i Angust 3i even - and  
add Spirit 3i Do 3 or 4 times

Griping the Myrrh Myrrh

15  $\frac{1}{2}$  Myrrh 3i Gal 3i or Gal. C. 3i  
Gal Ment 3i 3i 3i 3i 3i  
Puz 3i Vetical 3i or 3i Do him 3 or 4  
3 times

Of Sulphur Zinn 3i to 5i  
Of the Gentian 3i to 5i

Of 2 Cham 3i water 6i

Honic Pill

Of Carb Fern 3ii - Pure Aug Made  
Pure Cinnamon 3i Pill 60 - Do 1 to 2  
3 times a day

Cinchona pulv (Lanford). 3i' sleep in  
Caryophylla - - - 3ii a pint of  
L-Casoe - - - 3ii water 2  
3ii hours  
This is punched very pleasant  
when sweetened with loaf sugar

Of Ferric Pyro 3i to 5i  
Dissolved in 2 or 3  
water then add 6 or 7  
sips of water  
2 VIII Zinc carbonate  
making 15 or 20 of the mixture  
For Penny

2500  
Lanford

Astringent

Morley's Tann. Solution (See pag. 4)

℞ Bull Tann. Robur. 15 to 30 gr

For Uterine Prolapsus

℞ Bit Turpentine 3j } First put  
Acid Sulph<sup>c</sup> 3j } the turpentine  
Alcohol - - 3j } in a large  
= Mix the Sulph<sup>c</sup> & Acid } glass & add gradually  
this add gradually the alcohol } After

Dr Parkers R

R Acet Plum 3j

Acet Morph griv

<sup>et</sup> Rosa 3iv  
applied with sponge

R <sup>et</sup> ~~Acet~~ Plum 3ij

Glycerine 3j

et ~~Acet~~ Tonic 3j

Rose with sponge

applied to face

For loose skin



Soda (Powder R<sup>11</sup>)  
℞ Sup Carb Soda 3ss  
Lactic Acid 2ss

---

Syrup for Efferves<sup>Nautilus</sup> Mixture

Ale 1 gallon  
Myrt Acid  $\frac{3}{4}$  lb  
Sac Alb 8 lb

Boil the ale & sugar a few  
moments then add the Acid

---

Adhesive Plaster  
 R Emp<sup>m</sup> Litterage 3iii <sup>melt the</sup> Litterage + add  
 Pure Resin 3v <sup>the resin</sup> gradually & stir

Adhesive Plaster used in  
 the Hospital Boston

Diachylon 22 parts  
 White Resin 4 do  
 Copal Varnish 1 do  
 R Black Pitch 2 or  
 Yellow Wax 1 or  
 do Resin 2 or  
 Turbithine 1 or

Antispasmodics

12

R Valerian 3i Castor 3ii Add 1gill of  
boiling water. Dose 2 i. v. until it  
removes pain & produces sleep -

L R Laudm 3/4 Ptm 1/4 Apply  
extremely

R Root ~~Rhiz~~ <sup>Bootham</sup> ~~Phytolacca~~ <sup>For Garden</sup> ~~Druggs~~ 200

30 - 4 times a Day

~~Tobacco Injections~~

R Tobacco 3p Water 3/4 Hl Decoct

Application of Cold Water

Dr Brownell's recipe for  
Rheumatism

Acute Rheumatism / Glistening  
Colchicum in large doses  
Nit Polasso, Gout & Arteries  
Hot fomentations

When the pains are greatest  
when warm in bed. Bleeding  
Glistening mercurials Colchicum  
with the likes

Cold Gout Chronic Iron Sodate  
of Potass Mineral pector  
Hot bath

For Rheumatism & Gout

R Gum Guaiac	3i
English Saffron	3ss
Gum Camphor	3j
Opium	3j
Alcohol	℥ijss

Bathe in Hot vinegar in some  
cases & use anodyne liniment  
Gowher's solution



# Purities

(See Dropsy p. 31)

1 R Horse Radish root. 3/4

Juniper-Berries - 3/4

Mustard seed - 1/2 gill

Do 1/2 gill 3 or 4 times .o.

stuck in the

a pint of half

of boiling

water strain

to add 1/2 pint

vinegar

1/2 pint gill

selected with

beardashes

2 R Squills 3/4 Opium 1/2 Calomel 1/2

Cast Soap 1/2 Symplic Symp 1/2

Do 1 night & morning

3 R Squills 3/4 cantharides 3/4

Ammoniacum & Cast Soap 1/2

3/4 Do 1/2 60 Do 1 morning & night

4 R Digitalis 3/4 Canella Alba 1

ginger 1/2 2/3 Boiling water 3/4

1/2 pint

Cholera Ointment

Rf Strong Mercur	Oint 1 lb
Pulv Camph	1/2 lb
Capsicum	1/4 lb

- 147
- Zelirugen
- 1 R<sup>y</sup> Gal Nitrate 3℥ Water 2 pint  
Lemon juice 3℥ 1/2 bottle  
Dose — . v. during fever
- 2 R<sup>y</sup> See Theri Zi. & Aug 7 grs of Opium 5  
Cicconul gr 10 the juice 10 — Dose one  
every 3 hours
- 3 R<sup>y</sup> 7 Antim. 7 grs Water 3℥ 1/2  
for Emulsion give 2 — . every 15 or 20  
minutes for diaphoresis in fever 1 —  
every 6 hours
- Saline Draught
- R<sup>y</sup> Potash p. l. sugar l. Water — .  
add strong vinegar —

### Effervescent Mixture

℥℥ Carb Potash 3℥

Water 12 table spoonful

Lemon Juice a teaspoonful

To a tablespoonful of the  
solution of potash

See Notes Vol 2 page 233

Shepherd

Rx Antacid 1/2 to 1/2 gr every 4 hours  
O. acid to counteract

Carbonic Acid Gas good stuff

In Page 34 No 3

In Syphing

Rx Carb Ammon 3j

Serpentaria 3j

Water ——— Rtt



Anodynes

Gum Opium  $\frac{3}{4}$  lb - Laud<sup>m</sup>  $\frac{3}{4}$  to 10 to 30 <sup>1/2</sup>

R  $\frac{3}{4}$  g-lanoph<sup>m</sup> 2ij  $\frac{3}{4}$  Arab<sup>m</sup> 3ij S<sup>m</sup> Alla 3ij  
Milk & Water 34 S<sup>m</sup> - on in 1 or 2 N.

Anodyne Drops

R Acetate of Morphine 16 gr  
Distilled Water 3j  
Acetic Acid — 3 or 4 gtt  
Alcohol 3j

Dose from 6 to 24 gtt

The following solution is most used  
in Boston Called Solution of Morphine

R Acetate of Morphine 16 grains  
Distilled Water 6 drams  
Diluted Acetic acid 2 drams

Solution Dose 6 to 24 gtt

Anodyne Plaster

R Opium Palm 7ij  
Camphor 30 3j  
Emp. Lyth<sup>m</sup> 3j  
Pix Burgund a a

R Rhii — — gr XVII  
 Sub Carb Soda — — XIII  
 Aqua — — Zijj  
 Syrup Papav. Son. — —  
 Tinct. Valerian. aa Zijj  
 To cross & remove some Children  
 At 10

R Laudanum 20 gtt  
 Calend. Magnesia Zijj

Tinct. Assafoetida 40 gtt

Dose 10 to 20 gtt of cinnamon water

R 1 gr Opium

1 gr Anafactina

2 gr Camphor

1 gr Soap

For an adult

# Diaphoretic

16 10

Camphor Yarnization

By Recommended for Rheumatism

Put a blanket around the  
Shoulders of the patient holding  
it tight around the neck to  
prevent the fumes coming into  
the face. Put under the head of  
the patient a portable furnace.  
having a plate of sheet iron on the  
top. Put a heaped spoonful of camphor  
on the hot sheet iron every 25 min  
utes this may be continued 20 min  
utes or  $\frac{3}{4}$  of an hour

# Dropsies

17

From the review Medicinali

The following Liniment is to be applied <sup>with</sup> friction over the seat of the disease

Rf Finet Squills  
" " Itegitatis  
" " Sen Callicum a a 3ss  
Camphorated Oil  
Ammoniated oil 3iss

The friction is to be applied with a woollen cloth & continued from 5 to 20 minutes as the accumulation is larger or smaller Stimulants are to be given internally at the same time

It may be necessary to joint with it demulcents or gentle laxatives crema &c or to suspend it for a time



~~Squid~~

Saner Pills

14 Hyd Sub mar - gr 30

Pala Squills - gr 30

" bicyclotis gr 10

" Saffra gr 10

Mpto Pills 20

Take 3 a day

Said by Dr Brown to be a  
good hydragogue

## Measles

<sup>rec</sup>  
From the Lancet

Blisters are a very important  
remedy in this disease

If applied <sup>to the chest</sup> early in this disease  
before the eruption appears  
when the eyes & nose begin to run  
they will mitigate the symptoms  
I have many a child from death  
other suitable remedies of course  
should be given

Give Tepid bath when no

Eruption Snake Root & Ammon.

For night puncts on Mott  
℞ Lit Paragoric  
... Nitrolic

Mixed Naptha & a 3j  
Dose 30 gtt 3 times a day

For Itch

1 Rf Sul Carb Potash 3p

Aqua Regia - 3i

Continuum

Red Precipitate 3i

Sulphur + Lard 3ix

Bergamont

2 Rf Hg. Laid 3i

Continuum

Vitriol. Laid 3i Rf

3. Ointment Wet = 340. Powder 38. Alcohol  
Strain & Filter of 1 pint of HCl = 34

or Rf Pure Alcohol Ceru 3p

Pan Gatum 3i Use in  
water 4p

Red Precipitate Oint

Rf Red Precipitate 3i

Lard — 3i  $\frac{2}{3}$

Lotion Chlorate Lime for itch  
Chlorate Lime one and a half  
or 2 ounces



Wash the parts daily & in  
8 days it will produce a cure  
Once in 3 days the tepid bath is  
necessary to cleanse all calcareous  
matter for crusts If the itch reap-  
pears use Sulphur fumigation

# Asthma

20

See Effluents No. 11

1 Oz Opium -

P.M. 24

Celestial 20 gr

For 1 day

Blind Squills - 20 gr

evening

Soap 16<sup>th</sup> Symp of the

2 Oz Pure Calumna

For this

Ginger 20 gr

add boiling

Chamomile flowers 31 parts

Veter 11/2

For 4 - of cold inf<sup>n</sup> at mid day

Smoke - Root of Stemonium

Smoke paper saturated with a  
solution of salt paper paper

Use Stemonium leaves in  
place of paper

Use Girdle Resin Road

Bilious Colic  
Drink largely of Indian Meal Water

Influenza or comm  
or cold

R Calomel 3 gr  
Yart Ant  $\frac{1}{4}$  gr  
Opium — 1 gr Pill  
Take 1 or 2 or 3 the first  
day & omit the 2 to prevent  
salivation

R Aclum Scille  
Honey  
Water a a q/l

Dose 1 to 2 teaspoonful  
If not combined with  
the above pill add 1 gr  
Antimony to the mixture

Intermittent  
discharge of all  
kind.

R Nit Potlog  
Cham 5 gr  
Kino  $\frac{1}{2}$  gr  
Said to be good  
Merrill & Livingston  
Med & Drug Store  
July 18 37



increase  
the strength

Leucorrhoea

R White Vitriol 3℥ Injection

Dose 2 gr at one injection in 3℥ water

2 R Gum Caliche 3℥ Dose a wine  
glass full  
Water 4℔ Dissolve 2 or 3 times O

3 R Gum Cantharid 3℥ Water 3℥  
Dose — 3 or 4 times O.

Clarke's blood sucking cups

Keep the bowels open  
at night produce diaphoresis  
with Dover's powder

R Lemon Juice 3℥  
Carb. Ammon gr XV

Syrup Cort Aurant 3℥  
Mint Water 3℥

Dose —

Leytha Tinct 10 increased to  
30 drops

Tinct Nullebore 3℥ Dose

Detention is good

Menorrhagia 22  
 Acetate of Lead gr 1  
 Opium gr 1/2  
 Spica gr 1 ~~1/2~~ / Pill

Watery Discharges from Uterus  
 Dr Clarke's & <sup>Drops</sup> Menstrual Acid  
 R Acid sulphuric 6 drops  
 with a little syrup & Rose  
 water  
 R Sulp Line gr XV  
 Ext Hop - 3j  
 oil Cinnam. gr 3  
 Make Pills No 15 & give one  
 twice a day

Astringent Injections	R Alum 3j
R Sulp Line 3ij	Water 3℥ss
Water pure 3℥ 20	Mucil 3j
R Oak Decoction t℥ij	Flax seed 3j
Yinet Calaba 3j	Alum 3j
Sulp Line 3j	Tinct Kino 3j

Assorted

1 R White Lin Turpentine 3℥  
Coar of Gader - 3℥ 1℔  
make Pill of the common size  
Dose 2 or 3 more & see Laxation

For Ribs & Burns

2 R Opn + Camph a 15 gr  
Jace Datum - - 3℥  
Laid - 3i Unguent

Alum Whey

R Alum - 3℥) Give a wine-  
Milk. R - 1 glassful.

Menorhag R Alum - 3℥  
Sulphur 3℥  
Water 1 pint  
injection with force enough  
to reach the os uteri  
R Boston Medical & Surg Journ  
Vit Potass 10 gr  
Alum - - - 5 gr  
Guin Kino 1 1/2 gr Bonus...

Purulent Discharge

$\mathcal{R}$  Sulph Copper 3j  
Dioct Cenebona 1/2 pint

$\mathcal{R}$  Sulph Lime 3j  
unct Kino 3j  
Aqua Distil 3j

$\mathcal{R}$  Acetic Acid  
Water

$\mathcal{R}$  Acid Nitric 10 grs  
Water 1 pint

$\mathcal{R}$  Tiquor Plumbi 3j  
Acetic Acid 3ij

3pts Wine 3j  
Aqua Distil 1/2 pint

Purulent discharge with Blood  
 $\mathcal{R}$  Nit Argent 10  
Aqua Distil 1 pint



For Ringworms

1 lb White Mincure. Aintal. to be  
rubbed on the part

---

2 lb White Atrial 10 gr  
Water. Use the same frequently

---

Ophthalmia

Wash

27

1 R Sulph Lime 6 gr

Arum. water. 3 i 431

2 R Sulph Lime 3 i Add to 1 pint  
of cream milk keep it warm till  
the milk is all used then draw  
off the whey for use

3 R Spermat 3 i Aplew  
Nictate of Mercury 2 i perit  
as the i has

Keep 1 bowl Open (see Cath 6<sup>th</sup>)  
page 4-5

Eye Salve  
4 R Bees wax 36

Laid 3 12 mull + add

Arum. Saluta 3 10 joined by dressing  
it in warm water

Amenorrhoea

Dewees Tinct Guaic

R Gum Guaic - - 3i  
Bae Piment - 3ij  
Ag. Ammon - - 3ij  
Carb Soda - - 3i  
Brandy or Rum 3viii

Dose a teaspoonful night  
& morning

Lo ʒʳ ounces of the Tinct  
Guaic add half an ounce  
of tinct Sytta

This is to be given with  
Bears Pills

Dr Brownwells R

R Tinct Helb R 3ij  
" Myrrh - 3ij  
" Eulacae vol 3ij  
" Cantharides 3i

Myrrh 3ij  
Eulacae 3ij  
Cantharides 3i

Chlorosis

25<sup>th</sup>

See Jones page 8<sup>th</sup> No 4: 5:

In Injection -

1 R<sup>y</sup> Locust Alocs 3i

Milk - 30<sup>th</sup> Dissolve

2 Compound Injection of Alocs 3p  
to be taken every the morning

Johnsons says use constitutional remedies  
only except at the time nature makes an effort  
then purgatives kept back No 53 p 145

Used by Dr Beers in  
New Haven

Emmenagogue  
from Dr. Denison  
R<sup>y</sup> Sulph Zinc

Pulv Alocs a a 3i

Pulv Sanguis 3fo

make 90 pills and 1/2 gr  
of mass in pill  
said to be excellent



American Liver

Regen. in form of 3/4 per day. <sup>perf.</sup>  
by holding 3i in glass of water down  
a pint

Johnson's Pill

R Gum Myrrh 3ij  
Sulph Ferri 3i  
Lab Carb Pot. 3ij  
Gum Camph 16 gr  
Pill No 36 give 3 to 6 in day

Myrrh Mixture

Myrrh  
Sulph Iron 3ij  
Carb Polash — a 3ij  
Sach Alb — 3i  
Essr Gaultthum — 3ij  
Aqua Gout — 1/2 pint

R Sulph Zinc — 3i  
R Sanguinaria — 3i  
Aloes — 3ij  
Water Myrrh — 3ij  
Make 60 Pills

give sufficient  
to operate as  
a laxative

R Sulph. Quinin 1/2 gr  
Phosphate Iron 6 gr  
Give this 3 or 4 times in 24 hours

# Philips

262

1 R. Stictis of Gilman gr 1  
 Cerium of Rens gr 5-10 pills  
 taken on 3 times a

2 R. My Verica gr 3 Pill taken on  
 Cerium of Rens gr 5-10 3 times a

3 R. Stannum Sued & Chalk  
 aa 3i Sacp 3i Simple Syf gr 10  
 make common used pile give 2  
 night & morning

4. Stictis of Gilman - Stictis of Potash  
 aa dissolved in water add / each to pill  
 each pill to contain 1/6 of gr = 100  
 on night & morning

Moore's Essence of life

R Opium ——— 3iij

..... Balsam Tolu ——— 3v

..... do Peru ——— 3ss

Benzoin India ——— 3ij

Rad. liquor

Ext. Siquinea a 3i

Scm Fennel

" Anis

Coriander aa 3i

Alcohol ——— 6ij

Aqua ——— 6ij

Dyspepsia

In Cornies page 8 N<sup>o</sup> 1:2:3:

1 Rf. Winter's Bark

Rocky Ash Bark Pulv + H<sub>2</sub>O  
Rhubarb + Lina

Oricoid sud aa 3p

2 Rf. Lig. Lassar am 3i Infuse  
in Barley water 3p 2 per hour  
stand add 1st Linc 908

Spit Lassar 3p H<sub>2</sub>O - 2:1

3 Rf. Ther 3ii May 1inet 3i

Dos .i. 3 or 4 times a day

4 Rf. Columba - Cerebry - Angustan  
aa Pulv. Dos .i. or

Rf. Cerebry 3ii Angustan 3ii Marten  
Florus 3p Vata Op Dos .i. 3-4.

Pill Specie 1 gr dose

Rf. Mt Argent 3ii 1 pill N<sup>o</sup>  
Specie - 3i) 50

give one more to Noct



Doct Sanguin Comp

R Rad Sanguinaria Ziiij  
Ext London Tarax Zls  
Doct Eupatorium Pur Ziiij  
Fatty Rad Sanchal Zij  
Caryophyllus — — Zp  
Aqua — — — — — 16-4

Conium & Iron Pills

R Ext Conium Zj

Red ox Iron Ziss

Dr Johnson says small doses of it  
argente ppts 1 gr & a half in 3 doses  
given during the day are very  
useful in certain stomachs

Hemorrhagia

28

Doct Cogswells Astringent Bonus

R Potassium - 3j

Sapo Castil 3j

Brandy - 3viii

This is a new & valuable astringent  
which stops the bleeding of the larger  
bloodvessels. Shave the soap fine  
& dissolve it in the brandy  
then add the potash.

Mix <sup>& keep them</sup> in a close vial. When the  
solution is applied it should be  
warmed a little & pledgets of  
lint moistened with it should  
be applied to the bleeding surface.

H. Lings Lu Lins vol 2 August

Dysentery

2

1 R. Spice gr 2 Calomel gr 1  
Opium gr 1/2 full - every 6 h

2 R. Morley, Tine Salutaria (Super)  
Apply blister to 1 Abdomen & Tine  
cantharides to 1 body

for 1 first stage of Dys  
R. Calc. gr - Ar. 7 gr 1 - repeated

Lime water Punch

R. Scalded Milk <sup>or 3</sup> parts 2  
Lime Water 1  
French Brandy 1  
for children with dysen-  
tery

Chalk Mixture good  
for Dysent<sup>y</sup> & Cholera Morbus

R<sup>x</sup> Cruta Prep<sup>d</sup> 3i  
Liquid Laud 3ij  
Sal Aratus 3i  
Ol. Linn 9tt 3  
Ol. Anise 9tt 6  
Sac Alb - - 3i  
Aqua Pura - - 3viij  
Brandy - - 3i  
Gum Arab. 9o 3i

From Dr Brown<sup>well</sup>

Child 2 years old half to a  
teaspoonful or better  
R<sup>x</sup> Mist Camphor 3ij  
acid Sulph<sup>r</sup> dilut 3ij  
Tinct Cardemon - 3ij  
Dose <sup>in</sup> a teatlespoonful  
4 times

*Ophthalmia*

31

1<sup>st</sup> R Album 965 Water 3i - with white of egg

2<sup>d</sup> R Sulphur 666 1/2 gr Water 3i Dist

3<sup>d</sup> R Cocum Glycer 4 gr Aqua 3ss



Drops

31

1 R. Linum Catena

Red Linum Catena

Squills - - Zinn add

Water Boil down to 1/2

add Spent Miter Dole 34 - See timing  
full every 2 v during the day

2 R. Sulphate of Iron

Cerb of Potash - Squills - Spent 4/5 of

Miter ac 3/4 Landm 40/100

Mint Water 36 ~~th~~ thoroughly

1 to 5 - in 4 to 6 v. If

the urine double the quantity except

of the mint water - Check the mixt

before taking it

Apply a blister to the pit of the

stomach take nourishing diet

Drunk wine

Infusum

3 R - Fol Digitalis 3ij Camilla Alba  
Ginger 4i Infus in 3℥ of water  
Do. —. once in 6. U. or

R Fol Digitalis 3ij Ginger 3℥ Tulep tin  
Bisk 3ij Water 3℥. infus in 4℥  
Do 3℥ myrr + resin - Dose 1℥

R Pulv Rad Scilla — gr 6  
Fol Digitalis gr 6  
Rad Linum — 2ij

Super Tart Polassa 3℥  
Divide into 1℥ equal powders

R Acid Tartaric — 3i  
Carb Soda — — XXV  
Spirits Ether Nit — 3ij  
Infusio Digitalis 3ij to 3℥  
Aqua Mentha et nit 3ij } Give  
Give every night this pill at the } the  
same time R Pill Hydrarg 3℥ to 5℥ } mixt  
Johnson says it is the best — gr 1  
most powerful purgative Rad Scilla gr 1  
in Pharmacopoeia oil Cassia 1℥  
in pill

# Fever

℞ Opium gr 12  
 Speece gr 12  
 Calomel gr 24  
 Mucilage q.s

} Make 24 Pills  
 Doct H Wood

Acetate of ammonia in an  
effervescent state

℞ Carbonat Ammonia ℥ij  
 Aquae ————— ℥vj  
 Mix

Let half an ounce of this so-  
lution be mixed with half an ounce  
of vinegar and drank in the  
effervescence

Doct Woodwardy Emiliocantharides  
 given at the commencement of fever  
 ℞ Sute Mur Hyd 12 gr  
 Speece — 6 gr - dose

Diaphoretic tea  
℞ Serpentina Zij  
Carb Ammon Zi  
Water ℥ij

---

In Remittant bilious where  
there is a tendency to inflamm<sup>n</sup>  
during the course of the disease

Give the following ℞ Calomel - 1  
Fart stat  $\frac{1}{4}$   
Nitric -  $\frac{1}{2}$   
Solub Fart qd

cut in an orange or lemon to make  
it agreeable --

Burns & Scalds

33

1 R<sup>y</sup> Olive Oil --- 3i

Lime water 3iii No lotion

2 R<sup>y</sup> Aflacae - 34 Lime Water 40p

3 Apply cotton wool spread with little  
Basilicum

4 Ointment of Stramonium Lids with  
Lard

In Rheumatoid Leg - 22<sup>d</sup> No 2

5 R<sup>y</sup> Alcohol 3i Ol. Organum 3ii

apply 4 times

6 Lead Ointment very useful

Dr Dorsey

R<sup>y</sup> Basilicon Ointment  
Turpentine 90 Linseed  
oil



# Pains of the Head

1 R

If pain from congestion or in nervous  
See Symp. p. 227. N. 3. Blisters

2 R

If from blood in the scalp  
An incision should be made  
to the bone & an emulsion should  
be given

3

## Pericardial Aff. —

Rx Gum Arabic 3iiss Cask Annen 3iiss  
Barley Water for emulsion Cough 2i  
Do. or Lin. glyf. may be

## 1/4 Branches Pills

4 R

Colocyinth —	3iv	10r	1/2	3ii	3i	3/4
Aloes —	thiis	1/2 lb	1/4	2or	1	1/2
Camboge	thiis	1/4 lb	2or	1or	1	3i
Saap	thiis	2or	1or	1/2	3ii	3i
oil Peppermint	3ii	3/4	15i	7 1/2	4	2
oil Cinnamon	3i	15r	7 1/2	4	2	1

## Myst Pills

Hygiene Pills

Rx For No 1<sup>st</sup>

Gamboge 1 gr

Alors & colocynth ext  $\frac{1}{2}$  gr

Cream Tart  $\frac{1}{2}$  gr

& a trifle of ginger

No. 2<sup>nd</sup> are made the same  
with the addition of one & a half  
gr gamboge instead of 1 gr

~~Brand's~~ Pills

Dr Fuller's Physic Pill  
much used at the retreat

Rx Alois - 60 gr  
Scurmony 36 gr  
Gamboge 12 gr  
Simple Syrup 90  
Pills No. 30

# Eruptions

1 R. Alcohol 3i M Acid 3i For 10 to 20  
grs in an 3i of water  
with relaxed state of the bowels

---

Give blue pill if constipation is weak  
if not give calomel

## Foul Ulcers

R White Arsenic 3; boil in 2 quarts  
of water to 3 pints apply it on a linen  
a day -----

The extract of Phytolacca  
Decurva has a certain effect  
on Cancers & foul ulcers

To cure inter Chemical Sores  
or apply an infusion of 1 root  
of Saffron Tincture or a Tincture  
of yucca -----

R Guleft Left - 102 - Pain @ Anus 31  
add 4 pint of boiling Water - Dist  
3 or 4 times a day

R To relieve inflammation - (see Glut 49)  
no 1

R White Wax 4 parts  
Venice Turpentine 1 part  
When it begins to grow stiff  
turn it into the place until it will  
apply straps over First cleanse the  
Dress every 3 days

Camphor is the best remedy in this  
 disease. Applied externally combined  
 with Opium & oil & taken internally  
 with castor oil

Infus<sup>n</sup> Senna Comp  
 from Dr Jackson

R<sup>y</sup> Infus Senna 3j

Pulv Jalap ʒij

Dose ʒij Polass Sup Hart ʒij

Manna ʒij

Sem larva ʒij

Infus Senna Comp ʒij

Aqua ʒij

Rockelle salts may be added



Comp Calomel Pill

Rx Calomel — 6 gr

Ant Fert — 1 gr

Pulv opium — 2 gr

Comp Aloetic Pill

Rx Aloes 2 gr

Fert Ant  $\frac{1}{4}$  gr

opium  $\frac{1}{2}$  gr

Eliz<sup>r</sup> Sacred

R Rhubarb bruised 3i $\frac{1}{4}$

Pul Locostone Aloes 3b

Cardamon bruised 3p

Distilled Alcohol 1lb

Digest 10 days & filter

Rheumatism  
Blister the part = or Opodeldoc

37

1 R  $\mathcal{G}$  Guaiac 3ii Opium 3f Jpecan 3ii  
Colomel grx Camph 3i - Divide into  
20 powders given 1 every 8. or - keep the  
patient in bed till you perceive

2 R Guaiac 3ii Aleop 3f Cyn Am 3f  
Soda 3ii  $\mathcal{P}$   $\mathcal{C}$   $\mathcal{C}$   $\mathcal{C}$  2i. with rum

India Rubber more on the part

New York Practice

1<sup>st</sup> Grin N Dart Ant —  $\frac{1}{2}$  gr  
vin Colchicum  $\frac{1}{2}$  oz  
Int Mindereri 4 oz

Give a tablespoonful 3 times a day  
if not successful 20 gr Pulv actua

Acute Rheumatism  
Five Balsam Capivi &  
wine Colchicum

R. Cong L. Pill

Ry Sals. Nux.  $\frac{1}{2}$  gr  
Sars. Ant. gr  $1\frac{1}{2}$  gr  
Sulph. Morphin. 1 gr  
wine Colchicum

Pills No 8

Dr. Knecht

372  
Sclerum Gremus

Sweet Gum 34 mix

Sweet Capseum 38-

Give half in 24 hours

Contents of the 2 papers

- 1 Ferri Sulph Vgr Acid Part XXV
- 2 Bicarb Soda xi gr  
Orank with sugar & water  
Tonic

Caliduate Water

Take of Crystallized Sulphate

of Iron 23 White Sugar

33 Pula Linake 12 powder

Bicarb Soda 2-3 1/2

& sugar 33 & dissolve in

12 pawders one of each

in half a tumbler of water

& drink while effervescing

# Congress Water

Each Gallon contains 690  
grains of solid Matter  
 $\frac{2}{3}$  of which is Murate Soda  
 $\frac{1}{4}$  Carbonate. The remainder is  
Carb Soda }  
" Iron }  
" Magnesia

It contains  $\frac{1}{2}$  of its volume  
of carb acid Gas

The mineral springs contain  
9 gr per gallon of Carb Ferri



29

27 In mild even  
Rhine & Specie as 300 Op. 30  
Fill 60 Do 1 night & morning

Red Drop

B Rhei - - - Zi

Infuse in a pint of water  
while boiling & let it stand  
until cold then add

iv. Opium — — — — — 3 lbs

Luc. Album - - - - - Blv

French Brandy - 3ij.

This preparation contains drops  
of Laudanum to a teaspoonful  
Dose 1 or 2 teaspoonfuls Doct. J. Scott

Called Red Drops

*Ellen's address 375 Carl Potass. 3ij  
Greenwich, N.Y. 1840*  
Sine Water & Arrowroot

of Sine Water - 1 gill

Arrowroot 1 Tablespoon full

Milk - - 3 gills

1 Teaspoonful of Sine Water

1 Teaspoonful of Arrowroot

2 Teaspoonfuls of Carbolic Acid

Fill the bottle up to the neck

with water & shake

well & cork

the bottle up to the neck

with water & shake

well & cork

the bottle up to the neck

with water & shake

Expectorants	1
Emetics	4
Emmenagogues	5
Ferments	8
Antiseptics	20
Itch	19
Menstruators	22
Lunatics	21
Chlorosis	25
Dyspepsia	27
Epilepsy	26
Ring worms	23
Dysuria	29
Dropsy	31
Atropine	10
Adhesive Plaster	11
Burns & Scalds	33
Deaphoretic	16

Gravel	40
Fistula	46
Allegation Sanofi	
Parkes' Lungs	46

1<sup>st</sup> Gonorrhea

R Calomel ʒii M.G. Arab ʒii  
Aqua Rosae ʒiv M Symp

2<sup>nd</sup> R Aluminium ʒij Water ʒiv M Sy<sup>e</sup>

De Lencumbia Recp 21

3<sup>rd</sup> R Pulv Kino ʒii Pulv Alum ʒi

Opri ʒii M.G. Arab ʒi Water ʒiv M Sy<sup>e</sup>

4<sup>th</sup> R Succ Guttu ʒi Water ʒiv M Sy<sup>e</sup>

5<sup>th</sup> R Corrosive Sublimat ʒi M.G. Arab ʒii  
Aqua Zent ʒiv M Sy<sup>e</sup>

From Dr Clarke

Parulent Discharges with blood

R Argent Nit 10 gr

Aqua Distil 1 pint

R Sulph Copper ʒss

Decoct Cenchopa 1 pint

Common R Acetic Acid

Water 1 pint

R Acid Nitric 10 gr

Water 1 pint

Gangrene

41

R. Subiacte Ammonia 3℥

Water

Rx

Keep a cloth wet with the  
solution on the parts affected



Or <sup>Dysuria</sup> Bismuth Gum Arce-dif

~~Al~~ <sup>Al</sup> ~~per~~ No 10

Rogers Tonic Given to Scall

Sulph Ferri ℥i } Pills

Aloes ——— X gr No 20

Ext Conium ℥ij

<sup>W</sup> Ticks to Given Mr Barbour

℥i Sulph Zinc ℥i } 60  
Asafetida ℥iij } Pills

Lupeline ℥ij

Piperine ——— 2 gr

Ext Hyosciamus ——— Pills

Ext Conium a a ℥i } No 20

# Cholera Infantum

42

First clean the mouth & hourly give  
20 gr Ipec or 20 of Cal℥ afterwards  
give powder of Opium 1 part Cal℥ 9 parts  
Dissolve every 3 to 5 v. or more  
into pills with 9 Acrem & piece of  
chick

Warm or tepid bathing. Plasters with  
in infusion of bitter herbs & apply  
to the lower or warm spirits.

All cases give tincture  
A strong decoction of the Ergon  
Cucurbitis is needed — Phytother

## Infusion Menth —

Aqua Cinnamon a a 3i

Tinct. Calceolus 3ij

Spirit ammonia 3i

Syrup Stueant 3ij

Tinct. Opii 9th XII

Wt

Chill Blains

Simply apply Gold Beaters Skin

*Pruritus vulva*

Rx Bi Borate Soda 3ss

Loeffl morphine VI gr

Aqua Rosa ois t VIII ounces

First Wash the parts with soap  
& water then apply a cloth  
to the parts saturated in the  
solution

Cross

43

In the first stage of the  
of Calomel & Potash. Administer 1 part  
for 10 or 12 gr at first shall be  
given every 6 v. till vomit  
or Turpentine. Mucilage. For 10 or 20  
repeated if necessary

In the second stage or suppurative stage  
Blood letting - Antacid - irritant  
blisters the Omentum cath. of Calomel

In the 3rd or moribund stage  
Refracted doses of Calomel equally  
dependent

4 Seneca Snake Root. 1 lb.  
3/4 Steeped in a clove scit 1/2 pint  
of water till reduced to 4/3  
Dose 1. every 1. a h. v.

2 Gentian of Labrador Infusion  
Dose 1. the vesper. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.

4 Cox's Honey Syrup

4 Seneca

Syrupilla pulchra 3/4

Water Bailing 1 quart

4 Honey or Loaf Sugar

Antimony Tart 2 1/2 gr

Bail the seneca & syrupilla in  
water to one half then add Honey  
Set it Simmer a short  
time over the fire then add  
the antimony



# Liquid Blacking

R Ivory Black  $\frac{1}{2}$  lb  
Vinegar - 2 quarts  
Molasses -  $\frac{1}{2}$  lb net 4 3/4  
Gum Arabic  $\frac{1}{2}$  lb net 2 3/4  
Oil Vitriol  $\frac{1}{2}$  lb

---

Ivory Black  $\frac{1}{2}$  lb  
Molasses 1 gill  
Oil Olivarin  $\frac{1}{4}$  lb  
Gum Arabic  $\frac{1}{2}$  lb  
Spirits Lavender  $\frac{1}{2}$  lb  
Vinegar  $\frac{1}{2}$  lb  
Oil Vitriol  $\frac{1}{2}$  lb

Let all the ingredients be  
carefully mixed before  
the oil of vitriol is added  
& this should be done by degrees

R Ivory Black 33

Juice of 3 Lemons

Molasses 2 tablespoons full

Sweet oil 1 tablespoon full

Vinegar 1/2 pints Mix them

well together & it is immediately fit for use

R Lamp Black 1/2 pints

Rum 1 gill

Molasses 1 lb

Milk 1 lb

Beer 1/2 pint

## Preparations of Food

Beef Tea  
Cut  $\frac{1}{2}$  lb of beef in squares of water  
boil 20 minutes remove when  
cold strain - - - - -

Arrow Root Jelly  
Put Arrow Root large spoonful in  
little cold water to keep full from  
this into a pint of boiling water  
stir well add a little sugar &  
nutmeg - - - - -

### Rice Gruel

Boil  $\frac{1}{2}$  lb of rice in 8 gills of  
water until the quantity is half  
removed strain & add  $\frac{1}{2}$  pint of new milk  
& little cinnamon let it boil  
up once add little nutmeg

Cont. for Rough Skin  
R. Mox & Spinae 3ij  
oil of almonds 3vi

# Strengthening Plaster

R. Diachylon	3i
Gum Opium pulv.	3i
" Camph "	3ij

Mice

Dr. Mearns' Sickingh

## Strengthening Plaster

R. Resin 2 pound -  
Pix Burgundy 2 oz  
Bees Wax - 4 oz  
Bees Tallow - 2 oz

add Camphor Capsicum or  
any other stimulant  
or opium as a sedative

In cold weather the Bees wax  
& tallow may be increased in quantity  
Melt & when thoroughly incorporated  
pour the mass into a tub  
of clean cold water & work it  
over until it is fit for use, which  
actual trial will only make  
known. Spread with a heated  
spatula & apply warm

# Gummi Immoniacum -

A plaster much used by

Doct. Lacy

Good for corns

Gravel. From Mr Mason  
℞ Gummi Arabic - gr 20  
Bi Carb Soda - 3i  
Sub Carb Potass - gr 30  
Sac Alb - 3i  
Aqua Para - 36  
Mfg Dose a table spoonful

℞ Tapo castil  
Vitriolic Tartar  
Alas Scedrine an 3ij  
Native Linbar 3ss  
Palo Rhii 3ij  
Jbenilian Turpentine q.s.

Take a pill about  
the size of a pea



Ring Worms

Wash of corrosive sublimate

Apply Nit Argent to eruption

Oxydointment

Better Walnut & Mus Ann

Purkiss Comp Sassafras

℞ Rind Sassafras 32

Rash Guaiac 32

Summa 32

℞ 2 Wintergreen

1 nutmeg

Soap Sugar 32

Boil all but sugar  
& wintergreen in 2 quarts  
water to 1 quart

Strain add wintergreen sugar  
& ½ pint Good Sherry

Diabetes

47

Insulin Diabetes

New strength & tone

At home when. Bore over  
R. Milk 2 quarts a day  
At home 300. try the cure  
separately

Dorsey

1 24 Spiga Mary<sup>th</sup> 3i<sup>l</sup> bat 34 hair  
Dor<sup>th</sup> 43 13<sup>th</sup> Dec for Ched 99<sup>th</sup> old

2 24 Puler 20d Spig<sup>a</sup> Mary<sup>th</sup> 3i<sup>l</sup> Oct 69  
Ahi<sup>th</sup> 209 74 Puler 1<sup>st</sup> 8 74 100<sup>th</sup> old  
+ many - 10<sup>th</sup> Ched 5-6 5 7-8 old

1 24 Puler

3 24 Puler - 10<sup>th</sup> Dec 3i<sup>l</sup>

4 24 Puler 5-6 109- 25

14 24 Puler 5-6 109- 25  
Calomet.  
Rhubarb  
Powders 10 6 & take  
one night & morning

3 24 Puler 5-6 109- 25  
in a full dose

# Inflammation

48

Wash for Local Infl<sup>n</sup>

1 R<sup>y</sup> Decoct of Lead 2<sup>ss</sup> Wash or cover  
Water — — — — 34 with vit sug

or R<sup>y</sup> Decoct of Lead 2<sup>ss</sup>

Vinagar 34 Water 6vi M

Lead Poytice

R<sup>y</sup> Acetis Plumbi 3ij  
Aqua — — — — 6vi

chum in bread or oat meal until  
it is of a proper consistence

Sulph<sup>r</sup> Magnesia } equal parts  
Magnesia Calc<sup>d</sup> }  
Give a teaspoonfull every 2  
hours until it operates —

Vomiting  
Carbonic Acid Gas - but rarely

1. By Cerebrum 3/4 Ch 1/2 3/4 1/2 3/4 1/2 3/4  
Boiling water to



*Gynonche Maligna*  
After the inflammation is subdued  
℞ Capsicum Annum .i.  
Brandy & water — 3ii Gargle

---

49.

Varicel Excrescence  
℞ Corrosive Sublimate 3j  
Camphor ——— 3ss  
Alcohol ——— 3i  
Applied with a camel hair pencil  
Applied with a camel pencil

~~Gene & Symples~~  
1 R<sup>y</sup> Corrosive Pul - 192 October 34  
~~ingre~~

Doct Gilberts Recipe

R<sup>y</sup> Corrosive Sublimatic ʒ gr  
dissolved in water & filled  
with flower 3 times in a day  
kept a secret by a physician  
in France at the same  
time a rotation local  
application of Nit Argent  
if there is ulcers

Chapman For Clap

R<sup>y</sup> Balsom Copacu - ʒss

Spt Lavender - ʒij

Spt - Nitro Dulce - ʒij

Laudanum - - - ʒi

Gum Arabic - - - ʒi

Water - - - ʒi

Dose a table spoonful morning  
noon & night

~~Hydrothorax~~  
R Quill gr Calomel gr Seps Pin 50  
℞ 3 in a D

---

R Gamboge - - gr iv  
Spirits Ether Nit ʒi  
Syrup Buckthorn - - ʒij  
Aqua Minth a a ʒss mix  
Give this 2 or 3 times a week  
2 in the intermediate days give  
Cream Tart & Scurtic drops  
made as follows

R oxymel Colchicum  
Scilla

Finet Meoline

Spirits Ether Nit - a a Coch Minia  
Take this mixture 3 or 4 times a day

---

Doctor Brownell uses Colepocum  
40 drops with ʒ wine glass  
infusion Galena ad

Given when 3/4 to 1/2 of the  
R Comp - July 31<sup>st</sup> 1832

---

Hydra Thorax Dr. Hall  
14 Scilla & Nit Polassua 3ij  
finely grated Horse Radish 4 or  
vinegar 3 pints Water 1  
cubeb's may be added

Salt Broom

(See last) 51

Mineral water

Ry Gal. Glac 3i Water 6i

Applied freely

See

Op. Cinchon

Finest Iodine

Linnemint Used by Health

R Spirit of Camphor

Aqua Ammonia

oil of Sassafras

Camphor oil

3/4  
3/4  
3/4  
3/4



Venereal

Doses

For Chancres apply 4 t<sup>h</sup>

Coronae Sublimata 1 or 2 gr

Water 3i ttt

ye-hu inting

By Coron Dose to 1 gr Water 3i Dos

4 to 12 gr 3 or 4 times D. - -

Dr Fitch uses injections to keep the  
parts clean & Long Lead Pills inter-  
nally

St. Querry Gums

5%

Ry

Infusion of Bark 36

Alumina —

31p

Mel Opt —

31 ft

Gargle or wash

Inf. Decoction of Bark 36

Ind. Syrah — 31p

Muriatic Acid — 11 25 to 20 ft

Bark or Gargle

# Johnsons Anti Billious Pills

R Ext colocynth comp — Zi  
 Sub Mur Hyd — — gr xv  
 Tart Ant — — gr. ii  
 Oil Carua qtt v

Dose in pill No 24) 12 or 3 night

Dr. Williams' Pink Pills for Pale People  
 1/4 lb. Ext colocynth  
 Jalap — — a a Zi  
 Wild Hyd — — Zi  
 Opac — — Zi  
 Oil Cannon qtt 20

John Hall's Laxative  
 Pulv. Rhuiz  
 Sulph. Potash Zi  
 Spicac 8 gr  
 Oil Mint 6 gr  
 Zi. Sapo Cast 9  
 Zi. M. Pice

## Laxative

R 1/2 lb. Senna pulv Zi  
 1/2 lb. Sulphur — Zi  
 Cream Tart — Zi

Saundice

33

R Corrosive Sublimate gr 1  
Ext Conium Maculat 10.0 or 12  
Spirits Menthe Piper 3j  
Tinct vel Vinum Sanguina 3j  
Aqua Pura — — — 33

<sup>re</sup> First dissolve the Corrosive Sublime  
in the water, then diffuse the  
extract of hemlock in the mixture  
by trituration in W-D mortar

Then add the Wine Sanguinaria  
& spirits pepperment

<sup>ly</sup> Four drams of this mixture or  
a table spoonful may be given  
until contraindicated  
Doct Gully

Cough Pills

R Pulv. Scyllae

Scilla

Opium a a gr 20

Sapo castil gr 10

Oil Anis gr 20

Mf't Pills No 30

Cough drops for North

R Elix Asthe

Vin Antimony

Spirits Nit Sulph ~~as~~

Syrup Bals Tolu a a 3j

Sassafras one drachm

Dose a teaspoonful morning  
and night



# Bitters

1/4 Gum Guaiac 3ij  
 Rad Gentian -  
 Quassia a a 3ij  
 Cort Aurant 90  
 Cinnamon 90

In Hawkeye Pills for cough

1/4 Calomel - - - 41-41  
 Tart chrysomony 1 1/2 gr

Salts Monph 1 gr  
 100 cough Pills No 8-

Pulmonary Balsam

Sweet Spirit Water

Syrup Sigsbee a a 3i

Syrup Balsam Yohim 3ij

Sig's extract Morph 3/4

Also Spearmint  
 Dose 40 gr

Tooth ache  
℞ Sulph Alumine Zij  
Spt Ether M℥ Zij  
Pulv the Alum & add the  
Ether

Preparation of Camphor  
Camphorated Emulsion  
R Camphor 3℥ Mille 3℥ Dose  
add Water 3℥

---

For External Application  
R Camphor 3i Mille 3℥ Glycer 3i  
Gum Tragacanth

---

Camphorated Glycer  
R Camphor 3i Gum Arabic 3℥  
Agua 3℥ per se ridem to  
pendu with Alcohol or Magna

Shall be John

By Santa Emma Pintment  
apply Herba Emma 31 Com Circu 31

---

Eye Water  
 R. Acetate Plumbi 6gr  
 Linet. Opium 3ij  
 Aqua. 3j

---

R. Sulph Zinc 2 1/2 gr or 1 1/2  
 Acetate Plumbi 1 1/2 gr 3/4 gr  
 Aqua Pure 3ij 3j  
 Laudanum 3ss - qtu 15

S. Zinc 1 1/4 gr to Aqua 3j

A Lead 2 1/2 do do  
 For Opacity

R. Corrosive Sublimated 8 gr  
 Water — 3j

Mrs Wilsons Eye Water

R. 7 1/2 gr Sulph Zinc 4 Sulph Zinc  
 7 1/2 gr Salt 14 gr  
 3 1/2 gr Sulph Zinc Sulph Zinc 7 gr  
 1/2 gill water Water 14 gr



Neuralgia

$\frac{1}{4}$  Sulph Quinine gr 45

Paleo Sigmoidin gr 15

14r - Effect per pills 30

one every night at bed time

37

## Beer

R. lib Spruce - 20 qtt  
do Wintergreen - 15 qtt  
do Sassafras - 12 qtt

Boiling Water 2 quarts mix

Let them stand until cool

Then add Yeast & Molasses  
of each <sup>one</sup> 1/2 pint

Cold water 10 quarts

Let them stand 24 hours &  
bottle & in 2 days they are  
fit for use

If you please a little ginger  
may be added

Ginger Beer Miss Pratt

R. Ginger

Cream Tartar a a 4  
Spoonfuls

Molasses 1 quart

Yeast a pint & a half

Water 3 gallons —

Stir it together & let it  
stand until it begins  
to ferment then bottle it  
& in 12 hours it will be fit  
for use

Dr. Carey's Beer

to a peckful of water

4 table spoonfuls of Ginger

& two cupful of yeast

add a quart of Molasses

cream of tartar may be  
added

58

# Ointment for Inflammation of the eye

By G. J. Guthrie Professor  
of surgery in Royal College  
in Westminster Hospital

The object of these ointments  
is in chronic to exert an action  
greater & in the acute a different  
one from that previously  
existing. From Foreign Medical  
journal Jan 1813

1 R Argenti Nitrat. From 2 to 5 or 10 gr  
Liquor Plumbi Subacit. qtt 15  
Unguent Cetaci — 3i

2 R Corrosive sublimate 3 to 4 gr  
Liquor Plumbi Subacit. qtt 15  
Unguent Cetaci 3i

The corrosive sublimate  
Nit silver must be mixed

to an impalpable powder  
then carefully mixed with  
the ointment on a slab  
or mortar Then the liquor  
plumbi is to be added

A double decomposition takes  
place in each of the ointments  
which naturally diminishes the  
strength of each but this  
takes place slowly particularly  
in the corrosive sublimate ointment  
so that it does not become inert  
by standing weeks

It is silver ointment gray at  
first then black or brown

If used without the acetal acid  
it acts on eye producing slough  
If a severe application a state  
resembling white chemosis

occasionally takes place appears  
formidable but soon disappears  
after fomenting the eye with warm  
bland aqueous fomentations

The mode of applying the ointments



to introduce a small piece <sup>59</sup>  
larger or smaller as the case may  
require from the size of a large  
pino head to that of a garden  
pea <sup>By</sup> The eye lids being closed  
are to be rubbed to diffuse the oint-  
ment over the whole conjunctiva  
a part however works out & should  
be wiped off to prevent staining  
the skin Both the applications  
cause pain lasting from 1/2 hour  
to 1/2 hours & even to the next day  
if severe application <sup>By</sup> The next  
day the patient usually perceives  
the benefit of applic<sup>n</sup>

repeatedly repeat it until the 3<sup>d</sup> day  
<sup>By</sup> The patient usually can tell by the  
old sensations when it is necessary  
to be repeated In acute cases  
2 or 3 applications often sufficient  
In chronic after necessary to continue  
it some time when they produce

irritation cupping & purges  
must be resorted to after which  
the ointments may be again  
used & after use purges  
& after treat them with care  
according to the case.

Guard in opacity of cornua

Cough Loxingers

℞ Ext Liquorice	3℥
Gum Arabic	3℥
Opium	3℥
Stem <sup>c</sup> Balsom	3℥
Loaf Sugar	℞i
	3℥
Make it into rolls or Loxingers	

Scor Billious Pill

℞ Aloes	3iij
Scammony	—
Gamboge <u>aa</u>	3ij
Colomel	3iij
Salap	3j
Gum Arabic	3j
Sapo Castil	3j
Make Pills of 100	

# Cough Cakes

50 gr  $\mathcal{R}$  Balsom Yolu  $\frac{1}{2}$  oz  
 gr 25  $\mathcal{R}$  Opium  $\frac{1}{4}$  oz  
 021  $\mathcal{R}$  Sanguinaria  $\frac{1}{2}$  oz  
 39  $\mathcal{R}$  Ext Siquorrec  $\frac{1}{2}$  oz  
 39  $\mathcal{R}$  Speck. Campana  $\frac{1}{2}$  oz  
 39  $\mathcal{R}$  Gum Arabic  $\frac{1}{2}$  oz  
 39  $\mathcal{R}$  Gum Ammonia  $\frac{1}{2}$  oz  
 39  $\mathcal{R}$  Loaf Sugar  $\frac{1}{2}$  oz  
 Balsom Capiva  $\frac{1}{2}$  oz  
 Dissolve together then  
 spread it in cakes on plates  
 to dry.

## Casco Billions Pills

$\mathcal{R}$  Alois  
 Gamboge  
 Jalap aa 3ss  
 Calomel 3ij  
 Sapo Cast 3ij  
 Pill Common Lize

Adhesive Plaster 11  
 Astringents - 16  
 Asthma - 20  
 Antispasmodic 12  
Ammoniacum 25  
 Anodyne - 15  
 Anodyne for the  
 Brownwells & Rhumy's  
 Branch's Pills 34  
 Billious colic 20  
 Bismuth & Glycer 30  
 Beer - 57  
 Butter's Remedy 37  
 Chastity Pills 53  
 Chlor 37  
 Chalk Mixture 29  
 Clarke's N. 25  
 Water & Discharge 22  
 Colic & Distention 38  
 Child's Pains 47  
 Compound - prof. of 55  
 Chlorosis - 25  
 Chrysomela superintend 42  
 Croup - 43  
 Cyanide of Potassium 49  
 Compound No. 38  
 Compound Colomel & Lactate Pill 36

Sclerogen Trimen 38  
 Dropsy - 17 - 31  
 Dermatitis - 13  
 Decubitus 39  
 Diarrhea - 47  
 Dyspepsia - 27  
 Dysentery - 27  
 Euphorbia - 14  
 Eruptions - 34  
 Effluvia & Mixture 26  
 Eye Water 11  
 Eye Water 56  
 Emplastrum 46  
 Elix. Sacral 36  
 Eye Ointment 58  
 Food & Preparation of 45  
 Fibrinogen - 12  
 Fever - 25 & 32



Cough Lozenges  
Cholera Ointment 13

Gangrene 41  
Gonorrhea 40

Gout 56

Gleet 49

Infus Cinchona

Mauet 46

Hemorrhoid 22

Hydrothorax 50

Hemorrhage 28

Hives Syrup 42

Hygiene Pills 34

Itch 19

Inflammation 48

Infus Cinchona

Incontinence of

urine Finet Cal-

tharides 20 drops

Jaundice

Johnson's Pills 52

Immune Blood

Jam's Pills 17

Jess's Pill 60

Liverwurst 23

Liquid Blacking 44

Dr Watson's

Time Water Punch 29

Measles 18

Myrror Mixt 25

Menorrhagia 22

Malches Quercus

Moore's Emulsi

Moore's Eye 26

Mucralgia 56

Ophthalmia 30

Ophthalmia 58

Pains in the Head 34

Pyrosis . . . 41

Plaster to the Breast 45

Purification of the Blood 42

Purification of the Blood 10

Rhinitis - 37

Rheumatism - 39

Rockwell Powders - 17th

Road Precept Book 46

Ring Worm 18

Right Sweets 18

Salt Water 31

Smallpox 55

Scurvy Gum 52

Syphilis - - - 49

Tanna Compound 56

Tartar Powder 11

Tonic - - - 8

Tooth Ache 74

Tinct Dewees 214

Tonic Reges 41

U

Ulin - - - 35

Uterine Protop 10

Vomiting 48

Vascular Dines 51

White Sulphur (in  
Drinking)

Worms - - - 47

Dr Joints Receipt  
Sassa-parilla Root  
Sey Quare  
Sassafras Root Bark  
Elder flowers  
Burdock Root

Add 1 quart & 1 pint  
of Spirit & the same quan-  
tity of water Boil  
& add 8th Sugar  
Dose Wine glass full  
3 times a day

to  
"I have  
cases of scarlet fever, in the following  
gives the result of thirty-five years experience with  
DOCTOR H. LONG, M. D., of Holyoke, Mass.,

RECIPE FOR TOOTH-ACHE.—At a meeting  
of the London Medical Society, Dr. Blake  
stated, "that he was able to cure the most  
desperate cases of tooth-ache, (unless the  
disease was connected with rheumatism,) by  
the application of the following remedy to  
the decayed tooth: alum reduced to an im-  
palpable powder, two drachms; nitrous spir-  
it of æther, seven drachms. Mix and apply  
them to the tooth.

*Handwritten notes and signatures, including "J. H. Blake" and "J. H. Blake" (repeated), are visible below the printed text.*



DOCTOR H. LONG, M. D., of Holyoke, Mass., gives the result of thirty-five years experience with cases of scarlet fever, in the following words:

"I have attended every variety, from the simplest to the most inveterate cases terminating in death within twenty-four hours from the attack. For the last twelve years my treatment has been as follows: Vapor bath at the commencement, with warm diluent drinks and medicines acting to the surface. (Of these every physician has his favorites, and I have mine.) This brings out the rash of a bright scarlet color, which is right, as the condition of the blood is shown by the color of the rash, which in the worst cases is very dark and sparse. When the rash is fully developed, I keep it so by a moderately stimulating course, and give frequent gargles of marsh rosemary for the canker. In the high inflammation of the skin, when the burning, restless patient writhes in agony, I wrap him in a warm wet sheet, and pack him down. If sleep ensues and the patient is warm and quiet, let him remain two hours. This removes the inflammation of the skin, and renders the cuticle permeable for the escape of that morbid matter, which, like a universal blister, in convalescence, desquamates the whole surface. I use no antimonials, and allow no physic till the subsidence of the rash, and the result has been most happy, having succeeded in curing every patient who has been under my control from the commencement of the disease; and in no case has there been any swelling of the throat, or disease of the sinuses, or spongy bones, or dropsical affections as a result of the disease."

---

MS. 170.9.24



100914  
M98958